即使月經開始,仍須繼續用藥。

Continue the treatment even if your period starts.





栓劑會在體溫下融化,使用藥物期間藥液可能會從陰道流 出,建議使用衛生巾,避免弄髒衣服。

The pessary will melt at body temperature and may leak from your vagina. Wear sanitary towel to prevent the pessary from staining your clothes.





- ■用藥應按醫生指示。 Medicines should be used as directed by the doctor.
- 如有疑問請向主診醫生或藥劑師查詢。 For enquiry, please consult your doctor or pharmacist.
- ■切勿將自己的藥物給予他人服用。 Do not share your medicine with others.









Pessaries (Vaginal tablets)



九龍亞皆老街222號 222 Argyle Street, Kowloon

陰道栓劑使用方法


How to Use

Pessaries
(Vaginal Tablet)

先徹底清潔雙手。 Wash your hands thoroughly.



除去陰道栓劑的包裝。 Remove the packaging/wrapper.



仰臥床上,曲膝並張開雙腿,能讓栓劑更容易放入。 Lie on your back with knees bent and spread your legs apart to facilitate insertion of the pessary.



用手指把栓劑緩緩放進陰道深處。 Use fingers to gently insert the pessary into the vagina as far as comfortably possible.



如每次須使用兩片栓劑,請重複上述步驟 If two pessaries have to be used at the same time, repeat the above procedure for the second pessary.

完成後徹底清潔雙手。 Wash your hands again.





注意事項 Precautions

此栓劑治療建議在睡前使用。 Best to use the pessary at bedtime.





痕癢、灼熱及流液等症狀可能會迅速消失, 但仍須繼續使用栓劑,直至整個療程完畢 Symptoms such as itching, burning and discharge may disappear soon, but it is important to complete the full course of treatment.